



## CLOSURES

## GPN 350

Free test samples:

+49 4442 982-9100

poeppelmann.com/en/gpn350



External application



Standard colour: Natural

Material: PE-LD

**More versatile.**

Can be used as plug or cap.

**Cleaner.**

Upon request, we can manufacture in the specially designed cleanroom in accordance with VDA Volume 19 and ISO 16232. For further information, please refer to page 129.

**Better.**

Suitable for bore holes, studs, conductors and threads.

## External application

item	A	B	H	D	(G)	Order no.
GPN 350 I 2	13	6.2	6	3.8	7.3	350 0002 0000
GPN 350 I 3	13	6.4	9	5	10.8	350 0003 0000
GPN 350 I 4	13	7.1	6	4.7	7.8	350 0004 0000
GPN 350 I 5	13	8.2	6	5.8	7.8	350 0005 0000
GPN 350 I 6	13	7.8	9	6	10.8	350 0006 0000
GPN 350 I 7	13	9.3	6	7.7	7.3	350 0007 0000
GPN 350 I 8	16	10.4	8	8.1	9	350 0008 0000
GPN 350 I 9	16	10.4	11	8	12.8	350 0009 0000
GPN 350 I 10	16	10.8	8	8.8	9.8	350 0010 0000
GPN 350 I 11	16	11.3	8	9.4	9.3	350 0011 0000
GPN 350 I 12	16	11.9	13	9.7	14.5	350 0012 0000
GPN 350 I 13	16	11.9	8	9.7	9.2	350 0013 0000
GPN 350 I 14	19	12.9	8	10.9	9.8	350 0014 0000
GPN 350 I 15	19	13.9	8	11.7	9.8	350 0015 0000
GPN 350 I 16	19	14	16	11.7	17.7	350 0016 0000
GPN 350 I 17	19	14.5	8	12.5	9.3	350 0017 0000
GPN 350 I 18	19	15	8	13	9.3	350 0018 0000
GPN 350 I 20	24	15.9	9	13.7	10.7	350 0020 0000
GPN 350 I 21	24	17	9	14.7	10.6	350 0021 0000
GPN 350 I 22	24	17.8	22	14.7	23.3	350 0022 0000
GPN 350 I 23	24	17.7	9	15.7	10.7	350 0023 0000
GPN 350 I 24	24	18.3	9	16.5	10.7	350 0024 0000
GPN 350 I 25	26	19.9	10	17.7	12.2	350 0025 0000
GPN 350 I 26	26	20.9	10	18.7	12.2	350 0026 0000
GPN 350 I 27	26	21.5	26	18.7	28.2	350 0027 0000
GPN 350 I 28	26	22	10	19.7	12.2	350 0028 0000
GPN 350 I 29	26	22.7	10	20.5	12.2	350 0029 0000
GPN 350 I 30	29	23.2	10	21.2	12.2	350 0030 0000
GPN 350 I 31	29	23.7	10	21.7	12.2	350 0031 0000
GPN 350 I 32	29	24.4	10	23	12.2	350 0032 0000
GPN 350 I 33	29	25	10	23.7	12.2	350 0033 0000
GPN 350 I 35	33	26.3	11	24.9	13.2	350 0035 0000
GPN 350 I 36	33	27.2	11	25.2	13.2	350 0036 0000
GPN 350 I 37	33	28.3	11	25.7	13.2	350 0037 0000
GPN 350 I 38	33	29.3	11	26.9	12.5	350 0038 0000
GPN 350 I 39	36	30.1	11	27.9	12.6	350 0039 0000
GPN 350 I 40	36	30.4	11	28.3	13.2	350 0040 0000
GPN 350 I 41	36	32	11	29.7	12.5	350 0041 0000

Size in mm

» Continued on page 64

For information regarding materials, colours, drawings and the use of our items, please refer to pages 124/125.

You might also be interested in the following products: GPN 205, GPN 255, GPN 351, GPN 608



PÖPPELMANN

KAPSTO®



## CLOSURES

## GPN 350

Free test samples:

+49 4442 982-9100

poeppele.com/en/gpn350



External application

« Continued from page 23



Standard colour: Natural

Material: PE-LD

**More versatile.**

Can be used as plug or cap.

**Cleaner.**

Upon request, we can manufacture in the specially designed cleanroom in accordance with VDA Volume 19 and ISO 16232. For further information, please refer to page 129.

**Better.**

Suitable for bore holes, studs, conductors and threads.

## External application

item	A	B	H	D	(G)	Order no.
GPN 350   42	36	32.8	11	30.5	13.2	350 0042 0000
GPN 350   43	42	33.9	12	31.5	14.2	350 0043 0000
GPN 350   44	42	34.5	12	32.5	14.2	350 0044 0000
GPN 350   45	42	35.3	12	32.4	14.2	350 0045 0000
GPN 350   46	42	36.5	12	34.7	14.2	350 0046 0000
GPN 350   47	45	38	12	35.7	14.2	350 0047 0000
GPN 350   48	45	38.9	12	36.7	14.2	350 0048 0000
GPN 350   49	45	39.4	12	37.5	14.2	350 0049 0000
GPN 350   50	45	40.2	12	38.5	14.2	350 0050 0000
GPN 350   51	50	41.8	12	39.5	13.7	350 0051 0000
GPN 350   52	50	43.7	12	41.5	14.2	350 0052 0000
GPN 350   53	50	44.8	12	42	14.2	350 0053 0000
GPN 350   531	56	46.8	12	44.5	13.7	350 0531 0000
GPN 350   54	56	46.8	12	44.5	13.7	350 0054 0000
GPN 350   541	55	48.3	12	46.3	14.2	350 0541 0000
GPN 350   55	56	48.7	12	46.7	14.2	350 0055 0000
GPN 350   56	56	50.5	20	47.5	22.2	350 0056 0000
GPN 350   57	62	54	13	51.5	14.2	350 0057 0000
GPN 350   570	65	59.4	15	56.9	15	350 0570 0000
GPN 350   571	65	60.8	18	56.8	18	350 0571 0000
GPN 350   58	72	62.5	14	59.2	16	350 0058 0000
GPN 350   581	85	79.5	18	76.5	18	350 0581 0000
GPN 350   59	88	75.6	14	72.9	16.5	350 0059 0000
GPN 350   60	92	88.5	20	85	20	350 0060 0000

Size in mm

For information regarding materials, colours, drawings and the use of our items, please refer to pages 124/125.

You might also be interested in the following products: GPN 205, GPN 255, GPN 351, GPN 608



## CLOSURES

## GPN 350

Free test samples:

+49 4442 982-9100

poeppelmann.com/en/gpn350



Inner application



Standard colour: Natural

Material: PE-LD

**More versatile.**

Can be used as plug or cap.

**Cleaner.**

Upon request, we can manufacture in the specially designed cleanroom in accordance with VDA Volume 19 and ISO 16232. For further information, please refer to page 129.

**Better.**

Suitable for bore holes, studs, conductors and threads.

## Inner application

item	A	B	H	D	(G)	Order no.
GPN 350 I 2	13	6.2	6	3.8	7.3	350 0002 0000
GPN 350 I 3	13	6.4	9	5	10.8	350 0003 0000
GPN 350 I 4	13	7.1	6	4.7	7.8	350 0004 0000
GPN 350 I 5	13	8.2	6	5.8	7.8	350 0005 0000
GPN 350 I 6	13	7.8	9	6	10.8	350 0006 0000
GPN 350 I 7	13	9.3	6	7.7	7.3	350 0007 0000
GPN 350 I 8	16	10.4	8	8.1	9	350 0008 0000
GPN 350 I 9	16	10.4	11	8	12.8	350 0009 0000
GPN 350 I 10	16	10.8	8	8.8	9.8	350 0010 0000
GPN 350 I 11	16	11.3	8	9.4	9.3	350 0011 0000
GPN 350 I 12	16	11.9	13	9.7	14.5	350 0012 0000
GPN 350 I 13	16	11.9	8	9.7	9.2	350 0013 0000
GPN 350 I 14	19	12.9	8	10.9	9.8	350 0014 0000
GPN 350 I 15	19	13.9	8	11.7	9.8	350 0015 0000
GPN 350 I 16	19	14	16	11.7	17.7	350 0016 0000
GPN 350 I 17	19	14.5	8	12.5	9.3	350 0017 0000
GPN 350 I 18	19	15	8	13	9.3	350 0018 0000
GPN 350 I 20	24	15.9	9	13.7	10.7	350 0020 0000
GPN 350 I 21	24	17	9	14.7	10.6	350 0021 0000
GPN 350 I 22	24	17.8	22	14.7	23	350 0022 0000
GPN 350 I 23	24	17.7	9	15.7	10.7	350 0023 0000
GPN 350 I 24	24	18.3	9	16.5	10.7	350 0024 0000
GPN 350 I 25	26	19.9	10	17.7	12.2	350 0025 0000
GPN 350 I 26	26	20.9	10	18.7	12.2	350 0026 0000
GPN 350 I 27	26	21.5	26	18.7	28.2	350 0027 0000
GPN 350 I 28	26	22	10	19.7	12.2	350 0028 0000
GPN 350 I 29	26	22.7	10	20.5	12.2	350 0029 0000
GPN 350 I 30	29	23.2	10	21.2	12.2	350 0030 0000
GPN 350 I 31	29	23.7	10	21.7	12.2	350 0031 0000
GPN 350 I 32	29	24.4	10	23	12.2	350 0032 0000
GPN 350 I 33	29	25	10	23.7	12.2	350 0033 0000
GPN 350 I 35	33	26.3	11	24.9	13.2	350 0035 0000
GPN 350 I 36	33	27.2	11	25.2	13.2	350 0036 0000
GPN 350 I 37	33	28.3	11	25.7	13.2	350 0037 0000
GPN 350 I 38	33	29.3	11	26.9	12.5	350 0038 0000
GPN 350 I 39	36	30.1	11	27.9	12.6	350 0039 0000
GPN 350 I 40	36	30.4	11	28.3	13.2	350 0040 0000
GPN 350 I 41	36	32	11	29.7	12.5	350 0041 0000

Size in mm

» Continued on page 72

For information regarding materials, colours, drawings and the use of our items, please refer to pages 124/125.

You might also be interested in the following products: GPN 300, GPN 351, GPN 608, GPN 610



## CLOSURES

## GPN 350

Free test samples:

+49 4442 982-9100

poeppele.com/en/gpn350



Inner application

« Continued from page 71



Standard colour: Natural

Material: PE-LD

**More versatile.**

Can be used as plug or cap.

**Cleaner.**

Upon request, we can manufacture in the specially designed cleanroom in accordance with VDA Volume 19 and ISO 16232. For further information, please refer to page 129.

**Better.**

Suitable for bore holes, studs, conductors and threads.

## Inner application

item	A	B	H	D	(G)	Order no.
GPN 350   42	36	32.8	11	30.5	13.2	350 0042 0000
GPN 350   43	42	33.9	12	31.5	14.2	350 0043 0000
GPN 350   44	42	34.5	12	32.5	14.2	350 0044 0000
GPN 350   45	42	35.3	12	32.4	14.2	350 0045 0000
GPN 350   46	42	36.5	12	34.7	14.2	350 0046 0000
GPN 350   47	45	38	12	35.7	14.2	350 0047 0000
GPN 350   48	45	38.9	12	36.7	14.2	350 0048 0000
GPN 350   49	45	39.4	12	37.5	14.2	350 0049 0000
GPN 350   50	45	40.2	12	38.5	14.2	350 0050 0000
GPN 350   51	50	41.8	12	39.5	13.7	350 0051 0000
GPN 350   52	50	43.7	12	41.5	14.2	350 0052 0000
GPN 350   53	50	44.8	12	42	14.2	350 0053 0000
GPN 350   54	56	46.8	12	44.5	13.7	350 0054 0000
GPN 350   541	55	48.3	12	46.3	14.2	350 0541 0000
GPN 350   55	56	48.7	12	46.7	14.2	350 0055 0000
GPN 350   56	56	50.5	20	47.5	22.2	350 0056 0000
GPN 350   57	62	54	13	51.5	14.2	350 0057 0000
GPN 350   570	65	59.4	15	56.9	15	350 0570 0000
GPN 350   571	65	60.8	18	56.8	18	350 0571 0000
GPN 350   58	72	62.5	14	59.2	16	350 0058 0000
GPN 350   581	85	79.5	18	76.5	18	350 0581 0000
GPN 350   59	88	75.6	14	72.9	16.5	350 0059 0000
GPN 350   60	92	88.5	20	85	20	350 0060 0000

Size in mm

For information regarding materials, colours, drawings and the use of our items, please refer to pages 124/125.

You might also be interested in the following products: GPN 300, GPN 351, GPN 608, GPN 610